INDEX TO
EXPERIMENTAL TECHNIQUES
VOLUME 15, 1991

Title Index

Airbag Wind-blast Phenomena Evaluation — G.S. Nusholtz, W. Fong, and J. Wu, 38-39 (Nov/Dec).

Algorithm for Determining Tensile Properties from Digitally Recorded Tensile Test Data, An — P. McKeighan and B. Hillberry, 27-30 (Nov/Dec).

Application of Strain Gages to Measure Adhesive Strains Through the Thickness of an Adhesively-bonded Stiffened Strip — O.F. Lopez and R. Prabhakaran, 39-41 (Mar/Apr).

Application of the Generalized Maximum Likelihood Criterion to Evaluation of Partial Fringe Orders in Photoelasticity — I. Miskioglu and N.M. Namazi, 49-52 (Jan/Feb).

Applications of Optical Microscopic Image Analysis to Composite Materials — S.C. Yen, T.C. Chu and H. Jao, 22-25 (Sept/Oct).

Combined Shear-compression Device to Measure Concrete-to-concrete Bonding, A — F. Saucier, J. Bastien, M. Pigeon and M. Fafard, 50-55 (Sept/Oct).

Correlation Between Subjective and Objective Measurements of Steering Column Shake to Determine Design Specifications for the Steering Column Structure — T.A. Mouch and C.J. Jarocki, 17-21 (Nov/Dec).

Design of a New Creep-thermal Cycler for High-temperature Metal Matrix Composites — W.D. Armstrong and M. Taya, 33-37 (July/Aug.).

Detection of Metallic Honeycomb Disbonding by Thermal Imaging — B.W. Eliason and A.B. Western, 36-38 (Mar/Apr).

Detection of Microcracking in Concrete by Acoustic Emission — C. Ouyang, E. Landis and S.P. Shah, 24-28 (May/June).

Digital Image Processing of Photoelastic Fringes — A New Approach — K. Ramesh, V.R. Ganesan and S.K. Mullick, 41-46 (Sept/Oct).

Dye Techniques to Reveal the Fracture Surface of Concrete in Mode I — S.E. Swartz, 29-34 (May/June).

Electronic Speckle Pattern Interferometry for Fracture Mechanics Testing — A.K. Maji, J.L. Wang and J. Lovato, 19-23 (May/June).

Enhancement of Modal Swept Sine Data by Control of Exciting Forces — G. Foss, 22-26 (Nov/Dec).

Evaluation of Material Variation in Composite Laminates by Acoustic Wave Parameters — K. Liao and B. Tang, 26-31 (Sept/Oct).

Evaluation of the Radial-cut Method for Determining Residual Strains in Fiber Composite Rings — C. Aleong and M. Munro, 55-58 (Jan/Feb).

Experimental Analysis of Lightly Damped Structures — W.E. Whiteman, 35-37 (Nov/Dec).

Experimental Analysis of the Mechanical Performance Relative to an Orthopedic External Fixation Apparatus, An — P. Cappa, M. Berardi and R. Spinelli, 31-34 (Nov/Dec).

Experimental-numerical Technique for Temperature Determination in Heat-conducting Materials — F.A. Moslehy and T.W. Davies, 47-50 (May/June).

Force Deflection Curves for Air Bag Response — G.S. Nusholtz and R. Molinaro, 33-35 (Mar/Apr).

Inexpensive Photoelastic Coating with Long Contouring Window and Short Polymerization Time — J. Cernosek, 32-35 (Jan/Feb).

Internal Deformation Measurements Using Real-time X-rays — M.L. Wang, H.L. Schreyer and G.A. Rutland, 43-47 (July/Aug.).

Magnetoelastic Testing of Biaxial Stresses — S. Tiitto, 17-22 (July/Aug).

Measurement of Composite Creep — J.L. Sullivan, 32-37 (Sept/Oct).

Measurement of Temperatures in a Tubular Workpiece During Cutting with an Abrasive Waterjet — M.M. Ohadi and R.L. Whipple, 38-42 (July/Aug.).

Measuring Structural Movements by Using Computer Vision Techniques — E.M.R. Fairbairn, N. Roitman and A.L.C. Moreira, 29-32 (Mar/Apr).

Modeling Technique to Simulate Thermally-induced Stress in an Assembly Consisting of Components Made of Different Materials — W. Raab, M. Weigand, A. Renneisen and S. Hoerl, 40-46 (May/June).

Non-contact Acoustic Emission Sensing System for Rotating Cutter Machining Processes, A — D.V. Hutton, 40-44 (Nov/Dec).

On-line Measurement in Air-jet Spinning — E. Aubry, B. Boubrik and M. Renner, 28-32 (July/Aug.).

Possible Modification to Existing Spectral Photoelastic Techniques — R. Smith and E.A. Cheever, 53-54 (Jan/Feb).

Practical Moiré Interferometry System for Testing Machine Applications, A — Y. Guo and P. Ifju, 29-31 (Jan/Feb).

Real-time Analyzer of Displacement and Strain Distributions Using Moiré Method — Y. Morimoto, Y. Seguchi and N. Suese, 36-39 (Jan/Feb).

Repeatability of Three-dimensional Stress-freezing Photoelasticity — J. Cernosek, 40-43 (Jan/Feb).

Shadow Moiré Using LCD Projection Panel — A. Asundi and C.M. Wong, 44-48 (Jan/Feb).

Resistance Strain Gage with Repeatable Apparent Strain to 800°C, A — J.-F. Lei, 23-27 (July/Aug.).

Self-sufficient Photoelastic Model, A — P.B. Godbole, B. Rama Rao and U.M. Chaudhari, 53-55 (July/Aug.).

Simple Technique for Identifying Photoelastic Zero-order Fringe, A — S.L. Toh and S.H. Tang, 38-40 (Sept/Oct).

Simplified Procedure for Determining the Buckling Strength of Inelastic Columns, A — B.N. Rao, 42-44 (Mar/Apr).

Simplified Procedure for Stress Analysis in the Elasto-plastic Range with the Aid of Strain Gages, A — B.N. Rao, 38-39 (May/June).

Simulating Micro-failure Flaws in Fiber Composites — S.I. Ibekwe, R.L. Pendleton and F.C. Anigbo, 19-21 (Sept/Oct.).

Six-Degree-of-Freedom Motion Transducer, A — R.P. Ching and A.F. Tencer, 48-52 (July/Aug.).

Strain Data Averaging for the Hole-drilling Method — G.S. Schajer, 25-28 (Mar/Apr).

Surface Contouring Using Virtual Gratings — R. Czarnek and Y. Guo, 35-37 (May/June).

Testing of Viscoelasticity of Single Fibers Under Transient Moisture Conditions — J.Z. Wang and D.A. Dillard, 47-49 (Sept/Oct).

Use of Laser Holographic Interferometry and Image Analysis for the Study of Fracture Specimens — R.A. Miller, A. Castro-Montero and S.P. Shah, 14-18 (May/June).

Vacuum Injection Molding Process for Fiber Reinforced Composites — F.Y.C. Boey and C.Y. Liu, 48-50 (Mar/Apr).

Zero-thickness Specimen Gratings for Moiré Interferometry — P. Ifju and D. Post, 45-47 (Mar/Apr).

Author Index

Aleong, C. — Evaluation of the Radial-cut Method for Determining Residual Strains in Fiber Composite Rings, 55-58 (Jan/Feb).

Anigbo, F.C. — Simulating Micro-failure Flaws in Fiber Composites, 19-21 (Sept/Oct).

Armstrong, W.D. — Design of a New Creep-thermal Cycler for High-temperature Metal Matrix Composites, 33-37 (July/Aug.).

Asundi, A. — Shadow Moiré Using LCD Projection Panel, 44-48 (Jan/Feb).

Aubry, E. — On-line Measurement in Air-jet Spinning, 28-32 (July/Aug.).

Bastien, J. — A Combined Shear-compression Device to Measure Concrete-to-concrete Bonding, 50-55 (Sept/Oct).

Berardi, M. — An Experimental Analysis of the Mechanical Performance Relative to an Orthopedic External Fixation Apparatus, 31-34 (Nov/Dec).

Boey, F.Y.C. — Vacuum Injection Molding Process for Fiber Reinforced Composites, 48-50 (Mar/Apr).

Boubrik, B. — On-line Measurement in Air-jet Spinning, 28-32 (July/Aug.).

Cappa, P. — An Experimental Analysis of the Mechanical Performance Relative to an Orthopedic External Fixation Apparatus, 31-34 (Nov/Dec).

Castro-Montero, A. — Use of Laser Holographic Interferometry and Image Analysis for the Study of Fracture Specimens, 14-18 (May/June).

Cernosek, J. — Inexpensive Photoelastic Coating with Long Contouring Window and Short Polymerization Time, 32-35 (Jan/Feb).
Repeatability of Three-dimensional Stress-freezing Photoelasticity, 40-43 (Jan/Feb).
Chaudhari, U.M. — A Self-sufficient Photoelastic Model, 53-55 (July/Aug.).
Cheever, E.A. — Possible Modification to Existing Spectral Photoelastic Techniques, 53-54 (Jan/Feb).
Ching, R.P. — A Six-Degree-of-Freedom Motion Transducer, 49-52 (July/Aug.).
Chu, T.C. — Applications of Optical Microscopic Image Analysis to Composite Materials, 22-25 (Sept/Oct).
Czarnek, R. — Surface Contouring Using Virtual Gratings, 35-37 (May/June).
Davies, T.W. — Experimental-numerical Technique for Temperature Determination in Heat-conducting Materials, 47-50 (May/June).
Dillard, D.A. — Testing of Viscoelasticity of Single Fibers Under Transient Moisture Conditions, 47-49 (Sept/Oct).
Eliason, B.W. — Detection of Metallic Honeycomb Disbonding by Thermal Imaging, 36-38 (Mar/Apr).
Fafard, M. — A Combined Shear-compression Device to Measure Concrete-to-concrete Bonding, 50-55 (Sept/Oct).
Fairbairn, E.M.R. — Measuring Structural Movements by Using Computer Vision Techniques, 29-32 (Mar/Apr).
Fong, W. — Airbag Wind-blast Phenomena Evaluation, 38-39 (Nov/Dec).
Foss, G. — Enhancement of Modal Swept Sine Data by Control of Exciting Forces, 22-26 (Nov/Dec).
Ganesan, V.R. — Digital Image Processing of Photoelastic Fringes — A New Approach, 41-46 (Sept/Oct).
Godbole, P.B. — A Self-sufficient Photoelastic Model, 53-55 (July/Aug.).
Guo, Y. — A Practical Moiré Interferometry System for Testing Machine Applications, 29-31 (Jan/Feb).
Surface Contouring Using Virtual Gratings, 35-37 (May/June).
Hillberry, B. — An Algorithm for Determining Tensile Properties from Digitally Recorded Tensile Test Data, 27-30 (Nov/Dec).
Höeri, S. — Modeling Technique to Simulate Thermally-induced Stress in an Assembly Consisting of Components Made of Different Materials, 40-46 (May/June).
Hutton, D.V. — A Non-contact Acoustic Emission Sensing System for Rotating Cutter Machining Processes, 40-44 (Nov/Dec).
Ibekwe, S.I. — Simulating Micro-failure Flaws in Fiber Composites, 19-21 (Sept/Oct).
Ifju, P. — A Practical Moiré Interferometry System for Testing Machine Applications, 29-31 (Jan/Feb).
Zero-thickness Specimen Gratings for Moiré Interferometry, 45-47 (Mar/Apr).
Jao, H. — Applications of Optical Microscopic Image Analysis to Composite Materials, 22-25 (Sept/Oct).
Jarocki, C.J. — Correlation Between Subjective and Objective Measurements of Steering Column Shake to Determine Design Specifications for the Steering Column Structure, 17-21 (Nov/Dec).
Landis, E. — Detection of Microcracking in Concrete by Acoustic Emission, 24-28 (May/June).
Lei, J.-F. — A Resistance Strain Gage with Repeatable Apparent Strain to 800°C, 23-27 (July/Aug.).
Liao, K. — Evaluation of Material Variation in Composite Laminates by Acoustic Wave Parameters, 26-31 (Sept/Oct).
Liu, C.Y. — Vacuum Injection Molding Process for Fiber Reinforced Composites, 48-50 (Mar/Apr).
Lopez, O.F. — Application of Strain Gages to Measure Adhesive Strains Through the Thickness of an Adhesively-bonded Stiffened Strip, 39-41 (Mar/Apr).
Lovato, J. — Electronic Speckle Pattern Interferometry for Fracture Mechanics Testing, 19-23 (May/June).
Maji, A.K. — Electronic Speckle Pattern Interferometry for Fracture Mechanics Testing, 19-23 (May/June).
McKeighan, P. — An Algorithm for Determining Tensile Properties from Digitally Recorded Tensile Test Data, 27-30 (Nov/Dec).
Miller, R.A. — Use of Laser Holographic Interferometry and Image Analysis for the Study of Fracture Specimens, 14-18 (May/June).
Miskioglu, I. — Application of the Generalized Maximum Likelihood Criterion to Evaluation of Partial Fringe Orders in Photoelasticity, 49-52 (Jan/Feb).
Molinaro, R. — Force Deflection Curves for Air Bag Response, 33-35 (Mar/Apr).
Moreira, A.L.C. — Measuring Structural Movements by Using Computer Vision Techniques, 29-32 (Mar/Apr).
Morimoto, Y. — Real-time Analyzer of Displacement and Strain Distributions Using Moiré Method, 36-39 (Jan/Feb).
Moslehy, F.A. — Experimental-numerical Technique for Temperature Determination in Heat-conducting Materials, 47-50 (May/June).
Mouch, T.A. — Correlation Between Subjective and Objective Measurements of Steering Column Shake to Determine Design Specifications for the Steering Column Structure, 17-21 (Nov/Dec).
Mullick, S.K. — Digital Image Processing of Photoelastic Fringes — A New Approach, 41-46 (Sept/Oct).
Munro, M. — Evaluation of the Radial-cut Method for Determining Residual Strains in Fiber Composite Rings, 55-58 (Jan/Feb).
Namazi, N.M. — Application of the Generalized Maximum Likelihood Criterion to Evaluation of Partial Fringe Orders in Photoelasticity, 49-52 (Jan/Feb).
Nusholtz, G.S. — Force Deflection Curves for Air Bag Response, 33-35 (Mar/Apr).
Airbag Wind-blast Phenomena Evaluation, 38-39 (Nov/Dec).
Ohadi, M.M. — Measurement of Temperatures in a Tubular Workpiece During Cutting with an Abrasive Waterjet, 38-42 (July/Aug.).
Ouyang, C. — Detection of Microcracking in Concrete by Acoustic Emission, 24-28 (May/June).
Pendleton, R.L. — Simulating Micro-failure Flaws in Fiber Composites, 19-21 (Sept/Oct).
Pigeon, M. — A Combined Shear-compression Device to Measure Concrete-to-concrete Bonding, 50-55 (Sept/Oct).
Post, D. — Zero-thickness Specimen Gratings for Moiré Interferometry, 45-47 (Mar/Apr).
Prabhakaran, R. — Application of Strain Gages to Measure Adhesive Strains Through the Thickness of an Adhesively-bonded Stiffened Strip, 39-41 (Mar/Apr).
Raab, W. — Modeling Technique to Simulate Thermally-induced Stress in an Assembly Consisting of Components Made of Different Materials, 40-46 (May/June).
Ramesh, K. — Digital Image Processing of Photoelastic Fringes — A New Approach, 41-46 (Sept/Oct).
Rao, B.N. — A Simplified Procedure for Determining the Buckling Strength of Inelastic Columns, 42-44 (Mar/Apr).
A Simplified Procedure for Stress Analysis in the Elasto-plastic Range with the Aid of Strain Gages, 38-39 (May/June).
Rao, Rama B. — A Self-sufficient Photoelastic Model, 53-55 (July/Aug.).
Renneisen, A. — Modeling Technique to Simulate Thermally-induced Stress in an Assembly Consisting of Components Made of Different Materials, 40-46 (May/June).
Renner, M. — On-line Measurement in Air-jet Spinning, 28-32 (July/Aug.).
Roitman, N. — Measuring Structural Movements by Using Computer Vision Techniques, 29-32 (Mar/Apr).
Rutland, G.A. — Internal Deformation Measurements Using Real-time X-rays, 43-47 (July/Aug.).
Saucier, F. — A Combined Shear-compression Device to Measure Concrete-to-concrete Bonding, 50-55 (Sept/Oct).
Schajer, G.S. — Strain Data Averaging for the Hole-drilling Method, 25-28 (Mar/Apr).
Schreyer, H.L. — Internal Deformation Measurements Using Real-time X-rays, 43-47 (July/Aug.).
Seguchi, Y. — Real-time Analyzer of Displacement and Strain Distributions Using Moiré Method, 36-39 (Jan/Feb).
Shah, S.P. — Use of Laser Holographic Interferometry and Image Analysis for the Study of Fracture Specimens, 14-18 (May/June).
Detection of Microcracking in Concrete by Acoustic Emission, 24-28 (May/June).
Smith, R. — Possible Modification to Existing Spectral Photoelastic Techniques, 53-54 (Jan/Feb).
Spinelli, R. — An Experimental Analysis of the Mechanical Performance Relative to an Orthopedic External Fixation Apparatus, 31-34 (Nov/Dec).
Suese, N. — Real-time Analyzer of Displacement and Strain Distributions Using Moiré Method, 36-39 (Jan/Feb).
Sullivan, J.L. — Measurement of Composite Creep, 32-37 (Sept/Oct).
Swartz, S.E. — Dye Techniques to Reveal the Fracture Surface of Concrete in Mode I, 29-34 (May/June).
Tang, B. — Evaluation of Material Variation in Composite Laminates by Acoustic Wave Parameters, 26-31 (Sept/Oct).
Tang, S.H. — A Simple Technique for Identifying Photoelastic Zero-order Fringe, 38-40 (Sept/Oct).
Taya, M. — Design of a New Creep-thermal Cycler for High-temperature Metal Matrix Composites, 33-37 (July/Aug.).

Tencer, A.F. — A Six-Degree-of-Freedom Motion Transducer, 48-52 (July/Aug.).
Tiitto, S. — Magnetoelastic Testing of Biaxial Stresses, 17-22 (July/Aug.).
Toh, S.L. — A Simple Technique for Identifying Photoelastic Zero-order Fringe, 38-40 (Sept/Oct).
Wang, J.L. — Electronic Speckle Pattern Interferometry for Fracture Mechanics Testing, 19-23 (May/June).
Wang, J.Z. — Testing of Viscoelasticity of Single Fibers Under Transient Moisture Conditions, 47-49 (Sept/Oct).
Wang, M.L. — Internal Deformation Measurements Using Real-time X-rays, 43-47 (July/Aug.).
Weigand, M. — Modeling Technique to Simulate Thermally-Induced Stress in an Assembly Consisting of Components Made of Different Materials, 40-46 (May/June).
Western, A.B. — Detection of Metallic Honeycomb Disbonding by Thermal Imaging, 36-38 (Mar/Apr).
Whipple, R.L. — Measurement of Temperatures in a Tubular Workpiece During Cutting with an Abrasive Waterjet, 38-42 (July/Aug.).
Whiteman, W.E. — Experimental Analysis of Lightly Damped Structures, 35-37 (Nov/Dec).
Wong, C.M. — Shadow Moiré Using LCD Projection Panel, 44-48 (Jan/Feb).
Wu, J. — Airbag Wind-blast Phenomena Evaluation, 38-39 (Nov/Dec).
Yen, S.C. — Applications of Optical Microscopic Image Analysis to Composite Materials, 22-25 (Sept/Oct).

Index to Advertisers

44 APS Dynamics, Inc.
49 Binsfeld Engineering, Inc.
58 Clark Laboratory Services
58 Delsen Testing Laboratories, Inc.
58 Engineering Specifics Association, Inc.
46 Ham Gerber
58 Hitec Products, Inc.
3 J.P. Technologies, Inc.
Inside Back Cover J.P. Technologies, Inc.
54 Kistler Instrument Corporation
48 Larson Davis Laboratories
58 L.J. Broutman & Associates, Ltd.
12 LMS International
58 LTV Aero Products Group
Inside Front Cover Measurements Group, Inc.
Outside Back Cover Measurements Group, Inc.
53 The Modal Shop
51 PCB Piezotronics, Inc.
47 Polytec Optronics, Inc.
58 Stress Engineering Services, Inc.
57 Stresscoat
52 Syminex, Inc.
50 Texas Measurements, Inc.
58 Underwood Associates, Inc.
46 University of Florida
57 Vibration Test Systems

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION
(Required by 39 U.S.C. 3685)

1A. TITLE OF PUBLICATION	1B. PUBLICATION NO.	2. DATE OF FILING
EXPERIMENTAL TECHNIQUES	0 7 3 2 8 8 1 8	10/14/91
3. FREQUENCY OF ISSUE: Bi-monthly	3A. NO. OF ISSUES PUBLISHED ANNUALLY: 6	3B. ANNUAL SUBSCRIPTION PRICE: $84.00

4. COMPLETE MAILING ADDRESS OF KNOWN OFFICE OF PUBLICATION (Street, City, County, State and ZIP+4 Code) (Not printers): Society for Experimental Mechanics, Inc., 7 School St., Bethel, CT 06801

5. COMPLETE MAILING ADDRESS OF THE HEADQUARTERS OR GENERAL BUSINESS OFFICES OF THE PUBLISHER (Not printer): Same as #4

6. FULL NAMES AND COMPLETE MAILING ADDRESS OF PUBLISHER, EDITOR, AND MANAGING EDITOR (This item MUST NOT be blank)

PUBLISHER (Name and Complete Mailing Address): K.A. Gallone, Society for Experimental Mechanics, Inc., 7 School St., Bethel, CT 06801

EDITOR (Name and Complete Mailing Address): Same as #5

MANAGING EDITOR (Name and Complete Mailing Address): D.H. Thackrey, Society for Experimental Mechanics, Inc., 7 School St., Bethel, CT 06801

7. OWNER (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Item must be completed.)

FULL NAME	COMPLETE MAILING ADDRESS
Society for Experimental Mechanics, Inc	7 School St., Bethel, CT 06801

8. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES (If there are none, so state)

FULL NAME	COMPLETE MAILING ADDRESS
None	

9. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES (Section 423.12 DMM only)
The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes: (Check one)
(1) ☐ HAS NOT CHANGED DURING PRECEDING 12 MONTHS
(2) ☐ HAS CHANGED DURING PRECEDING 12 MONTHS (If changed, publisher must submit explanation of change with this statement.)

10. EXTENT AND NATURE OF CIRCULATION (See instructions on reverse side)	AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS	ACTUAL NO. COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE
A. TOTAL NO. COPIES (Net Press Run)	3625	3500
B. PAID AND/OR REQUESTED CIRCULATION 1. Sales through dealers and carriers, street vendors and counter sales	0	0
2. Paid Subscriptions (Paid and/or requested)	3096	3111
C. TOTAL PAID AND/OR REQUESTED CIRCULATION (Sum of 10B1 and 10B2)	3096	3111
D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES	57	30
E. TOTAL DISTRIBUTION (Sum of C and D)	3153	3141
F. COPIES NOT DISTRIBUTED 1. Office use, left over, unaccounted, spoiled after printing	477	359
2. Return from News Agents	0	0
G. TOTAL (Sum of E, F1 and 2--should equal net press run shown in A)	3625	3500

11. I certify that the statements made by me above are correct and complete. SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER: K.A. Gallone, Publisher

PS Form 3526, Dec. 1985 (See instruction on reverse)

VTS MODAL THRUSTERS
Twice The Force — No Increase In Cost!
Uncompromised Quality!

Check The Competition — For About The Same Price, You Can Have Twice The Force With VTS 100 and 500 Modal Thrusters.



Vibration Systems For Modal Testing, Research and Development, Product Qualification, Vibration Screening and Vibration Demonstration.

VTS

Call or write for specifications and price list on VTS systems from 25 to 600 lbs. force.

VIBRATION TEST SYSTEMS
10246 CLIPPER COVE • AURORA, OHIO 44202 • 216/562-5729
M691